OptiCalf **Safety Data Sheet**



1. Identification of Substance & Company

Product

Product name
Product code
HSNO approval
Approval description

UN number Proper Shipping Name Packaging group Hazchem code Uses

Company Details

Company Address

Website Telephone Email

OptiCalf AGRI-0001 HSR002544 or HSR2503 Construction Products (Subsidiary Hazard) Group Standard 2020 or Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020 NA NA NA NA Raw material

Blue Pacific Minerals 11-17 Huttloc Drive, Tokoroa 3420 New Zealand www.bpmnz.co.nz +64 7 885 0550

info@bpmnz.co.nz

Emergency Telephone Number: 0800 678 444

Hazard Identification 2.

Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002544 or HSR2503, Construction Products (Subsidiary Hazard) Group Standard 2020) or Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

GHS 7 Classes

Skin irritation cat 2 Eye irritation cat 2

SYMBOLS WARNING



Other Information

Zeolite contains crystalline silica. Particle size is >80µm. The respiration fraction of crystalline silica is <0.1% in total.

Hazard Statements

H315 - Causes skin irritation.

H319 - Causes eye irritation.

Australian GHS classification

Skin irritation Cat 2 Eye irritation Cat 2B H315 Causes skin irritation. H320 - Causes eye irritation.





Precautionary Statements

Prevention	P103 - Read label before use. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves/protective clothing. P280 - Wear eye/face protection.
Response	P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P332+P313 - If skin irritation occurs: Get medical advice/ attention. P362 - Take off contaminated clothing and wash before re-use." P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Storage Disposal	No storage statements P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (w/w %)
Zeolite – crystalline aluminosilicates may contains oxides including	1318-02-1	100%
silica and aluminum oxide:		
Silica component may include		
Cristobalite (respirable)	14464-46-1	<0.1%
This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.		

4. First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid facilities	Ready access to running water is required. Accessible eyewash is required.
Exposure	
Swallowed Eye contact	Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Apply continuous irrigation with water for at least 15 minutes holding eyelids apart. If eye irritation persists: Get medical advice.
Skin contact	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: get medical advice/attention. Take off contaminated clothing and wash before re-use.
Inhaled	If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor.

Advice to Doctor

Treat symptomatically

Protective equipment:

5. Firefighting Measures	
Fire and explosion hazards: Suitable extinguishing substances:	There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or alcohol resistant foam.
Unsuitable extinguishing substances:	Unknown.
Products of combustion:	Product does not burn. Dust may form irritating atmosphere.

No special measures are required.

NA

Product Name: Zeolite - powder

6.



Accidental Release Measures

Containment Emergency procedures	There is no current legal requirement for containment of this product. In the event of large spillage alert the fire brigade to location and give brief description of hazard. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Sweep up the solid. Avoid creating dust. If appropriate, use a gentle water spray to wet material to minimise dust generation.
Disposal Precautions	Sweep up and collect recoverable material into labelled containers for recycling or salvage. This material may be suitable for approved landfill. Dispose of only in accord with all regulations. Wear protective equipment to prevent skin and eye contamination and the inhalation of
	dusts. Work up wind or increase ventilation.
7. Storage & Handling	
Storage Handling	Stable under normal use and storage conditions. Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements. Do not breathe dust.

8. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Exposure Stds

Silicon dioxide Aluminum oxide Iron (II) Oxide Magnesium oxide Calcium oxide Titanium dioxide Crystaline silica, respirable dust

Ingredient

WES-TWA see crystalline silica 10mg/m³ 5mg/m³ (as Fe) 10mg/m³ (fume) 2mg/m³ 10mg/m³ 0.025mg/m³ WES-STEL data unavailable data unavailable data unavailable data unavailable data unavailable data unavailable data unavailable

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

General	Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate. Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.
Eyes	Protective eyewear is not normally necessary when using this product. However, it always prudent to use protective eyewear if dust is likely.
Skin	Avoid repeated or prolonged skin contact. Wear overalls, rubber boots and impervious gloves. Replace frequently. Gloves should be checked for tears or holes before use. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking. Wash contaminated clothing before re-use.
Respiratory	To prevent irritation a well fitted dust mask should be used (this is not recommended when exposure is close to the WES). Use of a P2 dust mask or fine particulate half or full face respirator with an effective seal is recommended when airborne concentrations approach the WES (section 8). Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.
WES Additional Information	

Not applicable



9. Physical & Chemical Properties

Appearance Odour Odour Threshold pH Freezing/melting point Boiling Point Flashpoint Flashpoint Flammability Upper & lower flammable limits Vapour pressure Vapour density Specific gravity/density	fine dust, off white/tan colour no odour no data 8.65 (10% aqueous suspension) no data no data no data no data no data no data no data no data 2.065g/cm ³
Specific gravity/density	~0.65g/cm ³
Solubility	not soluble in water
Partition coefficient	no data
Auto-ignition temperature	no data
Decomposition temperature	no data
Viscosity	no data
Particle Characteristics	Respirable fraction <2%, crystalline silica (all forms) <0.1%

10. Stability & Reactivity

· · · · · · · · · · · · · · · · · · ·	
Stability	Stable
Conditions to be avoided	Containers should be kept closed in order to avoid contamination. Avoid the creation of dust.
Incompatible groups	Avoid contact with strong oxidsing agents and hydrogen fluoride.
Hazardous decomposition products	None known
Hazardous reactions	Zeolites will react with hydrogen fluoride (HF) acid. Avoid contact with strong oxidsing agents.

11. Toxicological Information

Summary

IF IN EYES: Fine dust may cause irritation when in direct contact.

IF ON SKIN: Material may cause drying out of skin.

IF INHALED: May cause respiratory irritation. Also see chronic effects.

IF SWALLOWED: No adverse effects anticipated under normal use conditions.

CHRONIC EFFECTS: No effects anticipated. This product is granular with a low respirable fraction.

Supporting Data

Acute	Oral Dermal Inhaled	Not considered acutely toxic if swallowed. Not considered acutely toxic by dermal contact. The substance is not considered acutely toxic if inhaled, however there may be irritation of the respiratory tract if dust is inhaled.
	Еуе	The mixture is not considered to be an eye irritant. Dust may be an eye irritant (mechanical irritation).
	Skin	The mixture is a mild skin irritant.
Chronic	Sensitisation	No ingredient present at concentrations > 0.1% is considered a sensitizer.
	Mutagenicity	No ingredient present at concentrations > 0.1% is considered a mutagen.
	Carcinogenicity	Zeolites have been classed by IARC as group 3 – cannot be evaluated as to their carcinogenicity to humans. Respirable crystalline silica is present <0.1%. Crystalline Silica triggers carcinogen cat 1 classification (confirmed carcinogen), (IARC Group 1).
	Reproductive /	No ingredient present at concentrations > 0.1% is considered a reproductive or
	Developmental	developmental toxicant or have any effects on or via lactation.
	Systemic	Zeolite granular is not considered a system target organ toxicant.
	Aggravation of existing conditions	None known



12. Ecological Data

Summary

This product is not considered ecotoxic.

Supporting Data

Aquatic	Not ecotoxic in the aquatic environment.
Bioaccumulation	No data
Degradability	No data
Soil	No consided ecotoxic in the soil environment.
Terrestrial vertebrate	Not toxic towards terrestrial vertebrates
Terrestrial invertebrate	Not toxic towards terrestrial invertebrates
Biocidal	Not biocidal
Environmental effect levels	No EELs are available for this mixture or ingredients

13. Disposal Conside	erations
Restrictions	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.
Disposal method	Disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore rendered non-hazardous before discharge to the environment.
Contaminated packaging	Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging.

14. TransportInformation

	e: Dangerous Goods 2005 restrictions for this product NA NA NA		NA NA NA
IMDG			
UN number: Class(es) Precautions:	NA NA NA	Proper shipping name: Packing group: EmS	Not regulated NA NA
ΙΑΤΑ			
UN number: Class(es) Precautions:	NA NA NA	Proper shipping name: Packing group: ERG Guide	Not regulated NA NA

15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002544 or HSR002503, Construction Products (Subsidiary Hazard) Group Standard 2020 or Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020.

Specific Controls

Key workplace requirements are:	
SDS	To be available within 10 minutes in workplaces storing any quantity.
Inventory	An inventory of all hazardous substances must be prepared and maintained.
Packaging	All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use





	or have been supplied
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.
Emergency plan	Not required.
Certified handler	Not required.
Tracking	Not required.
Bunding & secondary containment	Not required.
Signage	Not required.
Location test certificate	Not required.
Flammable zone	Not required.
Fire extinguisher	Not required.
Note: The above workplace requiremen	ts apply if only this substance is present. The complete set of controls for a locati

Note: The above workplace requirements apply if only this substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

16. Other Information

Abbreviations

Approval Code CAS Number EC₅₀ EPA HAZCHEM Code HSNO	Approval HSR002544 or HSR002503, Construction Products (Subsidiary Hazard) Group Standard 2020 or Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020, Controls, EPA. www.epa.govt.nz Unique Chemical Abstracts Service Registry Number Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species) Environmental Protection Authority (New Zealand) Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters Hazardous Substances and New Organisms (Act and Regulations)	
IARC	International Agency for Research on Cancer	
LEL	Lower Explosive Limit	
LD ₅₀	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).	
	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population	
MSDS (SDS) STEL TWA UEL UN Number WES	(usually rats) Material Safety Data Sheet (or Safety Data Sheet) Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours) Upper Explosive Limit United Nations Number Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.	
References		
Data Controls WES Other References:	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID). EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances) Regulations 2017, www.legislation.govt.nz The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available on their web site – www.worksafe.govt.nz. EU ECHA, ingredients SDS's, ChemIDplus	
Deview		
Review		
Date	Reason for review	



March 2016 December 2017 April 2020 September 2020 November 2022 October 2023

New SDS. New logo, update of group standard Update of WES for crystalline silica New logo HSCO to GHS, update section 9, name Review of classification after sample analysis

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.



